

ISSN:2320-3714 Volume: 1 Issue: 2 February 2024 Impact Factor: 10.2 Subject: Mechanical Engineering

# DESIGN AND ANALYSIS OF CAR ALLOY WHEEL WITH DIFFERENT VARIANTS USING ANSYS

WORKBENCH

Mr. B. Rama Krishna 1 Assistant Professor Mr. K. Mothilal 2 Assistant Professor Dept. of Mechanical Engineering, Ellenki College of Engineering Technology, Hyderabad, Telangana, India

DECLARATION: I AS AN AUTHOR OF THIS PAPER ARTICLE, HERE BY DECLARE THAT THEPAPER SUBMITTED BY MEFOR PUBLICATIONIN THEJOURNAL ISCOMPLETELY MY OWN GENUINE PAPER. IFANY ISSUE REGARDING COPYRIGHT/PATENT/ OTHER REALAUTH OR ARISES, THE PUBLISHER WILL NOT BE LEGALLY RESPONSIBLE. IF ANY OF SUCH MATTERS OCCUR PUBLISHER MAY REMOVE MY CONTENT FROM THE JOURNAL WEBSITE. FOR THE REASONOF CONTENT AMENDMENT/OR ANY TECHNICAL ISSUE WITH NO VISIBILITY ON WEBSITE/UPDATES, I HAVE RESUBMITTED THI SPAPER FOR THE PUBLICATION. FOR ANY PUBLICATION MATTERS OR ANY INFORMATION INTENTIONALLY HIDDEN BY ME OR OTHERWISE, I SHALL BE LEGALLY RESPONSIBL (COMPLETE DECLARATION OF THE AUTHOR ATTHE LAST PAGE OF THIS PAPER/ARTICLE

Abstract: Associations in the significantly forceful vehicle region are successfully pursuing novel thoughts and pattern setting developments to streamline the arrangement and improvement cycle, as well as stretch out their thing reach to meet rapidly changing client necessities. In particular, wheel makers are focusing in on making a wide combination of wheels for voyager vehicles that line up with client tendencies, as such ensuring their slice of the pie in the overall merciless environment. To achieve this, creators are highlighting the customization of wheels considering unequivocal client conclusions. During the customization cycle, certain dull arrangement endeavors, for instance, showing and examination can be robotized and reused through committed programming gadgets like Ideal for E/Catia for plan and Ansys Workbench for assessment. The basic numerical model of a composite wheel is made using showing programming and a while later different into a parametric model using real explanations that rely upon the wheel's computation arrangement.

# INTRODUCTION

The wheel stays a fundamental creation that expected an urgent part in the improvement of old civic establishments.



Fig: Application of Aluminum Alloy

It stays one of the principal exposures ever, creating from a fundamental inquisitively huge bearing to a basic piece of present-day transportation vehicles. In contemporary society, vehicles are seen for transportation as well as plan enhancements custom fitted to individual tendencies. In this manner, extreme rules administer the advancement of vehicle vehicles to ensure explorer prosperity. Each part, including wheels, is painstakingly arranged considering its criticality, adhering to worldwide standards and norms.

## LITERATURE REVIEW

PC helped plan Exhibiting and FEA Assessment for Weight Decline of Aluminum Blend Wheel Edge; This investigation paper revolves around the arrangement and smoothing out of an aluminum mix wheel edge for vehicle applications with the fundamental target of decreasing its mass. Through



restricted part assessment (FEA), the high-level wheel edge's mass was actually decreased by around half diverged from the ongoing solid circle-type aluminum compound wheel. The FEA also displayed that the strain made in the overhauled part remained well underneath the yield tension of the aluminum compound.

Plan and Assessment of Compound Wheel Edge: Relative Appraisal of Titanium, Aluminum, and Magnesium Blends; In this endeavor, the arrangement and assessment of a bicycle composite wheel edge were finished including Great for E for plan and ANSYS for examination. The objective was to survey different materials for the compound wheel edge and choose their show characteristics. The picked materials for examination were aluminum composite, magnesium mixture, and titanium blend. The audit is supposed to assess their fittingness with respect to strength, solidness, wear obstacle, disintegration properties, and organization life. Stress repeat dissemination and most prominent weight limit were considered during the assessment. The results showed that the sensations of tension about the aluminum combination remained inside the yield strength range.

Plan and Relative Strength Assessment of Lightweight Electric Vehicle Wheel Edges Using Aluminum Mixes: The use of aluminum intensifies in essential pieces of vehicles is a run of the mill practice in view of their ability to solidify the strength and lightweight properties. This investigation bases on coordinating the arrangement cooperation of a wheel by presenting a relevant examination of an electric race vehicle. Specifically, the survey evaluates the exhaustion characteristics of wheels made for a twoman running electric vehicle (Demobil09) by using the Restricted Part Assessment (FEA) and processing the most outrageous turning energy measure (Von Mises). Wheel edges delivered utilizing two aluminum blends, explicitly AL6063 T6 and Al5083, are explored to assess their show under static and dynamic weights. By using the results got from FEA, both the weight and tantamount strain of the wheel are reduced, provoking decreased energy usage.

## A GENERAL OVERVIEW OF ALLOY WHEELS

Wheel: Unquestionably, the improvement of mankind has been capriciously associated with the progress and various uses of the wheel, more so than some other

ISSN:2320-3714 Volume: 1 Issue: 2 February 2024 Impact Factor: 10.2 Subject: Mechanical Engineering

mechanical part known to us. The improvement of the wheel is a hypnotizing outing. In the composition, three fundamental assortments of wheels are commonly analyzed: wire talked wheels, steel wheels, and composite wheels.

- Wire talked wheels
- Steel wheels
- Blend wheels



Fig: Wheel nomenclatures

## MATERIAL PROPERTIES

**Contrasting expenses:** While evaluating materials, considering factors past their mechanical properties is huge. Cost moreover expects a colossal part in route. In this assessment, the most conservative uncertified crude substance is seen as 4130 composite steels. Appeared differently in relation to this, 2024-T3 aluminum is 40% more expensive, while solidified steel is 80% costlier than compound steel.

<b>Table: Comparis</b>	son betwee	n Material Pr	operties
of Aluminum	alloy 2024	and Stainless	Steel

Physical Properties	Aluminum alloy 2024	Stainless steel		
<u>Density</u>	3.1e <sup>-9</sup> ton/mm <sup>3</sup>	9.01e <sup>-</sup> <sup>9</sup> ton/mm <sup>3</sup>		
Mechanical Properties				
Hardness, Brinell	120	80		
Hardness, Rockwell A	46.8	58		
Hardness, Rockwell B	75	130		



Hardness, Vickers	137	82
Ultimate Tensile Strength	586 MPa	3000 MPa
Elongation at Break	100 %	88 %
Modulus of Elasticity	73100MPa	210000MPa
Bearing Yield Strength	441MPa	262MPa
Poisson's Ratio	0.33	0.30
Fatigue Strength	138 MPa	1070MPa
Machinability	70 %	65%
Shear Modulus	28000 MPa	86500 MPa
Shear Strength	283 MPa	MPa

## DESIGN METHODLOGY OF CAR ALLOY WHEEL

**Combination Wheel in Software:** The showing framework for blend wheels begins with the improvement of a fundamental numerical model using exhibiting programming. This model is then different into a parametric model utilizing verbalizations reasoning, which relies upon the specific arrangement of the wheel's math.

## **Displaying of Compound Wheel**



Fig: Complete Model of wheel

# FINITE ELEMENT ANALYSIS

**Prologue to ANSYS:** ANSYS is an adaptable programming pack used for restricted part showing and examination, which licenses originators to truly handle different mechanical issues numerically. The ANSYS programming gives a sweeping graphical UI (GUI) that offers clients a straightforward and instinctive stage to get to program capacities, execute

ISSN:2320-3714 Volume: 1 Issue: 2 February 2024 Impact Factor: 10.2 Subject: Mechanical Engineering

orders, access documentation, and insinuate huge materials. This association point works with convenience and updates the overall client experience while working with the item.

# Limited Component Investigation Aluminum Combination Wheel

**Models subsequent to Lattice** 



Fig: Meshing of different sizes of Alloy Wheel Model-1 (13X5J), Model-2 (13X5.5J), Model-3 (13X6J)

# RESULTS & DISCUSSION OF CAR ALLOY WHEEL



Fig: Stress and Displacement Analysis Result for Wheel-1

#### **Expressions for Wheel-2**



Fig: Stress & Displacement Analysis Result for wheel -2

**Results:** Besides, the audit recollected assortments for various limits like erase, rib level, number of fastens, and number of spokes. The erase decisions surveyed were 3, 5, and 7 inches, while the rib level decisions



were 0.6692, 0.9192, and 1.162 inches. Additionally, the quantity of fastens and spokes varied between 4, 5, 6, and 8. In any case, the specific disclosures and proposition concerning these limits are not referred to in the given text. It is judicious to direct the principal survey or suggest the point-by-point assessment for extra information on the effects of these limits on wheel execution and fittingness.

# CONCLUSION

This application offers assistance for making and reviving varieties of wheel plans considering commitments from organizers. The entire age process is driven by arrangement leads and careful relations embedded in the application. There are a couple of advantages to using this application:

- Brief limit reviving: The application ensures that all limits are immediately revived in consistency with future Restricted Part Assessment (FEA) or Restricted Part Methodology (FEM) necessities.
- Stress scattering: Model-1 (13x5J) and Model-3 (13x6J) experience more tension appeared differently in relation to Demonstrate 2 (13x5.5J). Besides, the inboard seat locale in all of the three models experiences more tension than the separable district.
- Identical tension at edge well: The strain made at the edge well is comparable in every one of the three edges.
- Optimal judgments: For a 13-inch estimation wheel, a width of 5.5 isn't completely settled to be the best specific, followed by 5 inches and 6 inches.
- Simple to utilize: The instrument is expected to be not difficult to utilize, allowing makers to associate with it easily.
- Automated plan appraisal: The gadget evaluates client inputs and swears off enduring inconsistent characteristics, taking out the necessity for makers to genuinely study the arrangement.
- Restricted repeatable errors: The application lessens the occasion of repeatable goofs, truly shedding the opportunity of missteps during reiterated use.
- Fitting assistance: The application can consolidate a contraption to assist with cross-segment the created 3D model and changing over it into a sensible design for examination.

ISSN:2320-3714 Volume: 1 Issue: 2 February 2024 Impact Factor: 10.2 Subject: Mechanical Engineering

The fundamental use of this system in thing improvement is the modified period of thing thoughts considering data specifics. In the examination of wheel edges, the improvement cycle revolves around the wheel structure, arm weight, and shape. The goal is to work on the wheel's capacity to get through the vehicle's stack while ensuring a part of prosperity, restricting material use, manufacturing costs, and setbacks.

## REFERENCES

- Rahul K. Jape, S. G. Jadhav, PC helped plan Appearing and FEA Assessment of Wheel Edge for Weight Decreasing; Division of Mechanical Openness, VJTI, Mumbai, Maharashtra, India; DOI 10.4010/2016.1756; ISSN 2321 3361 © 2016 IJESC; Volume 6 Issue No. 6
- V.Karthi, N. Ramanan, J. Justin Maria Hillary; Plan and Appraisal of Compound Wheel Edge; Dept Of Mechanical Availability, Sri Krishna School of Organizing and Progress, Coimbatore, Tamilnadu, India; Everything Considered of Creative Assessment in Science, Collecting, and Improvement, Volume 3, Stand-disconnected Issue 2, April 2014
- T.B. Korkut, E. Armakan, O. Ozaydin, K. Ozdemir, A. Goren; Plan and relative strength evaluation of wheel edges of a lightweight electric vehicle utilizing Al6063 T6 and Al5083 aluminum mixes; Imaginative work Division, Cevher Wheels, 35411 Gaziemir, Izmir, Turkey, Part of Mechanical Status, Dokuz Eylul School, 35380 Buca, Izmir, Turkey; Diary of Accomplishments in Materials and Fix together Getting; Volume 99, Issue 2, April 2020
- Appearing And-Insufficiency Assessment Of-Vehicle Wheel-Edge; Sasank Shekhar Panda, Jagdeep Gurung, Udit Kumar Chatterjee; Taking into account all that of Sorting out Sciences and Evaluation Advancement, April 2016, ISSN: 2277-9655
- Plan and Evaluation of Wheel Edges with Different Materials; Header Ali A., Ali Salh Sawadi, Riyad Jassim Tilefih; Diary of Mechanical Fixing Appraisal and Overhauls, Vol. 44, No. 11, pp. 96-107 Streamed Year 2021
- Confined Part Assessment on Mix Wheel Utilizing Various Materials; Md Rahamath Ansari, S Rajesh, and P Rama Murty Raju; Part of Mechanical Availability, S.R.K.R. Arranging



School (A), Diary of Figuring out Sciences; Vol 12, Issue 10, Oct/2021

- Plan and Examination of Composite Compound Wheel; M. Swamy, D. Suresh Reddy; All around Diary of Clear Openness and Progress Evaluation Volume.05, IssueNo.28, September-2016, Pages: 5708-5716
- Isolated Assessment of Aluminum Composite Five Spokes Wheel's Edge; Htay Win, May Zon Than Oo; Clear Assessment and Collecting Diaries, Jun 2019 | Shock Diaries | Volume 2 Issue 12 | ISSN: 2456-8880
- Plan And Assessment of Blend Wheel in with Various Blends; Gudise Venkateswarlu, D V S R B M Subhramanya Sharma; Everything considered Diary of Advance assessment in science and gathering, Volume 06, Issue 10 Oct 2017
- Plan and Evaluation of Winding Wheel Edge for Four Wheeler; S.Ganesh, Dr.P.Periyasamy; The Overall Diary Of Organizing And Science (IJES), Volume 3, Issue 4, Pages 29-37, 2014
- Plan and Weight Improvement of Aluminum Blend Wheel Edge for Light Weight Four-Wheeled Vehicle; B. Ashok, M. K. Naidu, S. Srinivasa Rao; Overall Diary of Assembling Assessment and Headway (IJERT); Vol. 10 Issue 04, April-2021.

# Author's Declaration

I as an author of the above research paper/article, hereby, declare that the content of this paper is prepared by me and if any person having copyright issue or patentor anything otherwise related to the content, I shall always be legally responsible for any issue. For the reason of invisibility of my research paper on the website /amendments /updates, I have resubmitted

# ISSN:2320-3714 Volume: 1 Issue: 2 February 2024 Impact Factor: 10.2 Subject: Mechanical Engineering

my paper for publication on the same date. If any data or information given by me is not correct, I shall always be legally responsible. With my whole responsibility legally and formally I have intimated the publisher (Publisher) that my paper has been checked by my guide (if any) or expert to make it sure that paper is technically right and there is no unaccepted plagiarism and hentriacontane is genuinely mine. If any issue arises related to Plagiarism /Guide Name /Educational Qualification /Designation /Address of my university /college /institution/Structure or Formatting/ Resubmission /Submission /Copyright /Patent/Submission for any higher degree or Job /Primary Data/Secondary Data Issues. I will be solely/entirely responsible for any legal issues. I have been informed that the most of the data from the website is invisible or shuffled or vanished from the data base due to some technical fault or hacking and therefore the process of resubmission is there for the scholars/students who finds trouble in getting their paper on the website. At the time of resubmission of my paper I take all the legal and formal responsibilities, If I hide or do not submit the copy of my original documents (Aadhar/Driving License/Any Identity Proof and Photo) in spite of demand from the publisher then my paper may be rejected or removed from the website anytime and may not be consider for verification. I accept the fact that as the content of this paper and the resubmission legal responsibilities and reasons are only mine then the Publisher (Airo International Journal/Airo National Research Journal) is never responsible. I also declare that if publisher finds any complication or error or anything hidden or implemented otherwise, my paper maybe removed the website or the watermark from of remark/actuality maybe mentioned on my paper. Even if anything is found illegal publisher may also take legal action against me

#### Mr. B. Rama Krishna Mr. K. Mothilal

\*\*\*\*\*