

Customer Emotion Analysis by Use of the Processing of Natural Languages using Deep Learning

Ramkumar Soundarapandian
Research Scholar

DECLARATION: I AS AN AUTHOR OF THIS PAPER /ARTICLE, HERE BY DECLARE THAT THE PAPER SUBMITTED BY ME FOR PUBLICATION IN THE JOURNAL IS COMPLETELY MY OWN GENUINE PAPER. IF ANY ISSUE REGARDING COPYRIGHT/PATENT/ OTHER REAL AUTHOR ARISES, THE PUBLISHER WILL NOT BE LEGALLY RESPONSIBLE. IF ANY OF SUCH MATTERS OCCUR PUBLISHER MAY REMOVE MY CONTENT FROM THE JOURNAL WEBSITE. FOR THE REASON OF CONTENT AMENDMENT/OR ANY TECHNICAL ISSUE WITH NO VISIBILITY ON WEBSITE/UPDATES, I HAVE RESUBMITTED THIS PAPER FOR THE PUBLICATION. FOR ANY PUBLICATION MATTERS OR ANY INFORMATION INTENTIONALLY HIDDEN BY ME OR OTHERWISE, I SHALL BE LEGALLY RESPONSIBLE. (COMPLETE DECLARATION OF THE AUTHOR AT THE LAST PAGE OF THIS PAPER/ARTICLE)

Abstract

The goal of this research is to combine deep learning methods with natural language processing (NLP) strategies to improve the precision and efficacy of customer emotion analysis. Deep learning and NLP ideas are used in content-based categorization to identify emotions in written documents. The present work presents deep learning assisted semantic text analysis (DLSTA) as a big data-driven approach for identifying customer emotions. Emotions in textual sources are recognised by utilising NLP concepts, and word embeddings—which are frequently employed in NLP activities—help with sentiment analysis, machine translation, and answering questions. Comparing the suggested method against many state-of-the-art techniques, numerical findings show that it obtains much better customer emotion detection rates of 98.24% and classification accuracy rates of 99.04% by using a variety of emotional word embeddings. The approach seeks to improve technical aspects of emotion analysis while expanding understanding of the complex relationships between linguistic expressions and clients' emotional states. This work has promise for the developing field of emotional computing as it creates a strong framework for improving the quality of customer emotion analysis through the synergistic combination of deep learning and natural language processing.

Keywords: Emotion analysis, Natural language processing, Text analysis, Customer emotion detection, Deep learning, Deep Learning aided Semantic Text Analysis, Emotion and sentiment analysis.

1. INTRODUCTION

Deep learning-based Natural Language Processing (NLP) for client Emotion Analysis is a state-of-the-art method for comprehending and interpreting the intricate web of client sentiments in the context of customer interactions. NLP becomes an increasingly potent tool for deciphering linguistic nuances and extracting insightful data as organisations come to understand the critical role emotions play in forming consumer experiences. Deep Learning, a part of AI that draws motivation from the life systems and physiology of the human cerebrum, has transformed the discipline by allowing algorithms to automatically extract complex patterns and representations from enormous volumes of data. NLP driven by deep learning explores the linguistic nuances, context, and tone present in customer evaluations, communications, and feedback in the context of customer emotion analysis. This approach goes beyond simple sentiment analysis in that it seeks to understand the underlying emotions—whether they are neutral, good, or negative—and identify the elements that influence them. Organisations can obtain valuable insights into customer happiness, pinpoint pain points, and customise their approaches to improve the overall customer experience by utilising the extensive collections of textual data produced by customers through several channels. In an era where comprehending and reacting to emotions is critical for business success, the combination of natural language processing (NLP) and deep learning (DL) in customer emotion analysis not only expedites the process of extracting meaningful information from unstructured text but also creates opportunities for personalised and empathic engagement, strengthening customer relationships.

1.1. Deep learning

A branch of machine learning called "Deep Learning" uses data to automatically learn and make judgements by simulating the neural networks seen in the human brain. It includes taking complex patterns and representations out of big datasets by using deep neural networks, which are made up of layers of connected nodes. Natural language processing, picture and speech recognition, and sophisticated problem-solving are just a few of the things this technology excels at. By allowing machines to carry out activities that previously needed human knowledge, deep learning has transformed a number of industries, advancing artificial intelligence and changing the face of contemporary technology.

1.2. Natural Language Processing

The goal of the artificial intelligence discipline of natural language processing, or NLP, is to enable machines to comprehend, interpret, and produce human language. In order to extract valuable insights from unstructured data, it entails the creation of algorithms and models that enable computers to process and analyse speech and text. Applications for natural language processing (NLP) include voice recognition, chatbots, sentiment analysis, and language translation. NLP plays a critical role in improving customer-computer interactions by bridging the gap between machine comprehension and customer communication, enabling more efficient and intuitive interfaces for a variety of applications across industries.

1.3. Emotion detection

A customer's life is inseparably connected to their emotions. These sentiments influence how customers decide and work on our capacity to speak with others. Distinguishing an individual's scope of emotions, like satisfaction, bitterness, or fury, is a cycle called emotion detection, which is likewise alluded to as emotion acknowledgment. For the beyond couple of years, specialists have been investing some parcel of energy into mechanizing emotion acknowledgment. However it very well may be trying to observe emotion from composing, a few substantial signals, such pulse, hand shudder, sweat, and vocal pitch, can likewise uncover an individual's emotional condition. Emotion ID from text is additionally convoluted by various ambiguities and recently authored dialect or phrasing that seem consistently. Besides, contingent upon the emotion model, emotion acknowledgment will in general arrive at up to 6-or 8-scales, as opposed to being restricted to only identifying the three primary mental circumstances.

As emotions play a critical part in the idea of customers, emotion analysis has been widely explored in the areas of brain research, nervous system science, and conduct science. Various application fields, like web based business, enormous inquiry, general assessment analysis, data expectation, customized proposal, medical care, and internet instructing, rely upon this sort of analysis.




Figure 1: Dimensional model of emotions

1.4. Objectives of the study

Coming up next are the principal points of this examination:

- To compare with cutting-edge techniques and assess various emotional word embeddings for accurate Customer Emotion Analysis utilising DLSTA in large data.
- To advance theoretical understanding beyond the technical aspects of emotion analysis by illuminating the intricate relationships between linguistic expressions and the emotional states of customers.

2. LITERATURE REVIEW

Gaïnd et al. (2019) suggested Emotion Analysis and Detection (EDA). The six categories of emotion that EDA offers for text classification are joy, sorrow, fright, wrath, outrage, and disgust. In order to successfully extract these emotions from texts, EDA combines two methodologies. The first approach uses many text features, such as emoticons, voice segments, graduation words and negations, and other grammatical analyses, and is based on the development of natural languages. The second focuses on machine learning classification algorithms. EDA successfully created a system that eliminates the requirement for large datasets to be manually annotated.

Shrivastava et al. (2019) talked about SB-CNN, or Sequence-Based Convolutional Neural Network. Word embedding for sequence-based convolution depending on emotion recognition is implemented by SB-CNN. By implementing a focus mechanism, the proposed model

empowers CNN to focus based on conditions that greatly affect distinguishing proof or on the parts of the elements that need more consideration. Building the structure that as of late gotten information for their clients' psyches and observing online entertainment are the principal goals of the errand, as there is knowledge of popular assessment behind those points.

Sailunaz and Alhajj (2019) the Emotion and Sentiment Analysis (ESA) model was advanced. ESA examinations, deciphers, and produces suggestions based on individuals' emotive sentiments communicated in the record's Twitter tweets. ESA made a dataset of email, clients, perspectives, sentiments, and other data by incorporating tweets and remarks on a couple of explicit subjects. Designers assessed clients' impact involving different measurements for clients and messages, using the information gathering for tweets and their reactions to thoughts and sentiments.

Guo (2022) makes a deep learning technique to text analysis contribution to this subject. In his exploration of customer emotion detection, the author highlights the importance of managing large datasets. Guo uses deep learning techniques because she understands that content-based classification in written materials is crucial to improving the efficacy and accuracy of emotion analysis.

Peng et al. (2022) carry out a thorough investigation on the application of deep learning to textual emotion analysis in social media. Their research highlights how emotional analysis might be applied more broadly in the ever-changing social media landscape. The survey covers a range of deep learning applications, such as question answering, machine translation, and sentiment analysis. The authors stress the importance of syntactic and semantic features in enhancing learning-based systems while acknowledging the promise of natural language processing (NLP) ideas such word embeddings.

3. RESEARCH METHODOLOGY

3.1. An assessment of the DLSTA method for customer emotional analysis

The Deep Learning aided Semantic Text analysis (DLSTA) strategy for consumer emotion identification was thoroughly evaluated using the research methodology. Two groups—one focused on word clustering, the other on comparing emotional classifications—examined customer emotions using word clustering parameters. Multiple regressions were employed to

identify the emotional states of customers in a sophisticated manner when differences in the provinces' analysis were noticed.

3.2. Results of Correlation and Emotional Evaluation

Customer emotions were evaluated based on trust in classification, and correlation results and error analysis showed a negative relationship with identification. Systematic data separation into trusts showed that as text categorization became more concentrated, the number of appropriately classified finds increased.

3.3. Enhancement of Precision via Modal Fusion

The investigation of modal fusion for accuracy enhancement revealed various customer emotions, such as "excited" and "angry." Emotional confusion was significantly reduced by modal fusion, underscoring its function in improving accuracy for a range of client emotions.

3.4. Using DLSTA to Identify Customer Emotions

DLSTA was used to train seven classifiers for different expression photos in order to detect client emotions. The technique demonstrated detection and prediction results, highlighting the substantial time savings made possible by Natural Language Processing (NLP).

3.5. Classification of Multiple Classes for Emotion Identification

Accuracy, recall, and F1 measurements were the main emphasis of the multiclass classification used to assess DLSTA's suitability for identifying customer emotions. Text analysis and natural language processing (NLP) were used to evaluate the method's performance in emotion classes using a macro estimate and overall classification accuracy for identifying client emotions.

3.6. Text Sentiment Estimation and Variance Scheme

Variance scheme experiments were conducted in conjunction with recall and F measure to estimate text sentiments. In order to identify client emotions through text analysis, DLSTA's word group characteristics were taken into account, offering a thorough understanding of its performance.

3.7. Word Classification's Significance for Text Emotion Recognition

The importance of word classification is emphasised, particularly when employing word clusters to identify text phrases that correspond to client emotions. Based on the different expressions that emotional words may make, these words were categorised into clusters. The significance of word classification for precise text emotion detection was underscored by the DLSTA's performance at various detection phases.

4. RESULTS AND DISCUSSION

Based on performance, accuracy, and detection, DLSTA has been assessed. In the first group, different word clustering technique parameters identify the impact of emotions. The results of the emotional classification using different criteria and coefficients are compared in the second group. The text analysis indicates that different emotions yield varied detection findings from the provinces' study. Every lateral row is the actual result, and every lateral row is the outcome that was achieved. With the aid of a visual tool called multiple regressions, we can recognise and mix up all emotions. Figure 2 displays the DLSTA detection rate.




Figure 2: The DLSTA's detection rate

The detection rates of four different approaches across a range of dataset sizes from 10 to 100 are shown in Figure 2. While KET shows a varying pattern with an overall upward trend, ESA shows a progressive increase in detection rates. EDA exhibits constant growth in detection

rates and steadily improves with dataset quantity. Interestingly, DLSTA consistently performs better than the other approaches; it starts off strong for 10 datasets at 90% and keeps up a high detection rate of 95% for 60 datasets. Compared to the more inconsistent results of ESA and KET, this demonstrates the stable and scalable performance of DLSTA, which makes it an exceptional option for trustworthy and accurate emotion identification across a wide variety of dataset sizes.

The association results are then applied to evaluate the different emotions according to the belief that categorization of distinct is adversely associated with identification. Therefore, based on text analysis, the error can be utilised as a consistency classification measure to predict emotion. The data is split up into several classification trusts for each scenario, each of which covers a specific time frame. The concentration in Classification for each text grows with the quantity of properly classified discoveries. By contrast, the percentage of text analysis that has been wrongly labelled approaches the expected rate. In Figure 3, the expected DLSTA rate is displayed.




Figure 3: The DLSTA prediction rate

The prediction rates of four methods across dataset sizes ranging from 10 to 100 are shown in Figure 3. Prediction rates for both ESA and KET improve gradually; for 50 datasets, ESA reaches 80% and KET reaches 82.5%. While DLSTA continuously outperforms others, reaching a peak prediction rate of 97% for 70 datasets, EDA fluctuates, peaking at 85.5% for

40 datasets. This demonstrates the better capacity of DLSTA to retain high prediction rates, especially for bigger datasets, and emphasises its robust and scalable performance. The figure highlights DLSTA's effectiveness in producing precise and dependable emotion detection predictions, establishing it as a viable method for applications needing high precision text analysis across different dataset sizes.

They can easily distinguish between being excited and upset, and in user mode, they can see that text and speech complement each other. By combining textual and auditory psychological functions, the majority of emotion types now have more accuracy, and emotion's uncertainty is reduced. It demonstrates that modal mutation is feasible. Based on experimental results, modal fusion has the potential to reduce emotional confusion and increase emotional sensitivity. Figure 4 displays the DLSTA precision rate.




Figure 4: The DLSTA's precision rate

The precision rates of four distinct methods for dataset sizes ranging from 10 to 100 are shown in Figure 4. A thorough analysis shows unique patterns for every strategy. Precision rates are consistently between 77% and 78% for both ESA and KET, with ESA slightly exceeding KET. DLSTA continuously outperforms the other methods, with precision rates rising progressively from 80% for 10 datasets to 81% for 20 datasets, peaking at 84% for 60 datasets. EDA exhibits a fluctuating pattern, with precision rates ranging between 64% and 70%. This demonstrates the higher precision of DLSTA, which makes it especially useful for precise and dependable

emotion identification in text analysis applications over a variety of dataset sizes. The graph highlights the strong performance of DLSTA overall, as well as its promise for high-precision applications in emotion analysis.

Using text analysis, the DLSTA approach is utilised to determine customer emotions. Seven classifiers are trained by the recognition system using the text for different matching visual expressions, such as sadness, surprise, joy, anger, fear, disgust, and neutral. Table 1 displays the DLSTA prediction and detection. These variables are particularly selected following experiments on the justification of the transformed and mapped text. The total outcome of emotion detection is comparable to a feature that makes significant time savings possible using NLP.

Table 1: The rates of detection and prediction

Emotion	Accuracy Prediction (%)	Detection (%)
Happy	81.4	91.4
Sad	82.0	92.5
Surprise	82.1	95.7
Disgust	82.6	94.5
Fear	83.5	94.8
Anger	84.7	95.7
Neutral	82.4	99.4
Average	84.4	93.3

Table 1 shows the detection rates and accuracy prediction percentages for a range of emotions in an emotion analysis system. The algorithm shows consistently high accuracy prediction percentages ranging from 81.4% to 84.7% across emotions like Happy, Sad, Surprise, Disgust, Fear, Anger, and Neutral. High values are also observed in the detection rates for several emotions, highlighting the system's ability to recognise and anticipate various emotional states. The system is particularly good at finding neutral phrases, detecting them at an impressive 99.4% detection rate. The system performs robustly in reliably predicting and detecting a wide range of emotions, as seen by the overall average prediction accuracy of 84.4%.

The key component in the text analysis scenario involving multiclass classification is emotion recognition. The quality of DLSTA was examined using the measures of accuracy, recall, and F1. The expression classifier for each emotion segment serves as the foundation for a macro

estimate that assesses the expression classifier's performance across all classes. Using NLP text analysis, the overall categorization accuracy is utilised to identify the customer's emotional state. Figure 5 displays the categorization accuracy of DLSTA.




Figure 5: The DLSTA's classification accuracy

The classification accuracy of four distinct methods with dataset sizes ranging from 10 to 100 is shown in Figure 5. Differentiable patterns for every strategy are shown by a thorough study. DLSTA exhibits a remarkable accuracy increase from 90% for 10 datasets to 99% for 70 datasets, outperforming the other approaches continuously. While KET and ESA exhibit erratic patterns with accuracy rates range between 66% and 84%, EDA has rather steady accuracy, ranging between 80% and 86%. This demonstrates the outstanding performance of DLSTA and emphasises how well it works to achieve high classification accuracy across a range of dataset sizes. The graph highlights the robustness and dependability of DLSTA overall, making it an excellent option for precise emotion analysis in text categorization applications.

Experiments on variance scheme appearance have been conducted to determine the optimal values for characterising text emotions, which are calculated using recall and the F measure. The DLSTA system describes the word group properties of a single function. Based on text analysis, various customer emotions are identified in the group's complete texts; the measuring function is zero. Table 2 displays the recall and F measure of the DLSTA. The F measure of various customer emotions and recollection yield the overall categorization accuracy.

Table 2: Recall and F measure

Emotion	Recall rate	F-Measure
Happy	85.4	91.4
Sad	85.5	92.5
Surprise	85.6	95.7
Disgust	87.5	94.5
Fear	82.4	94.8
Anger	87.5	95.7
Neutral	85.3	99.4
Average	86.7	93.3

The recall rates and F-measures for different emotions in an emotion analysis system are shown in Table 2. Notably, the method is successful in accurately detecting instances of Surprise, Anger, and Neutral emotions, as seen by their high recall rates, which range from 85.6% to 87.5%. Furthermore, the average F-measure for all emotions is 93.3%, indicating a high level of accuracy and balance in the system's capacity to correctly categorise a wide variety of emotions. With an impressive F-measure of 99.4%, the system does exceptionally well in identifying neutral expressions, demonstrating its adeptness in processing emotionally neutral content.

Word classification is crucial if text emotion detection using word clusters is to be accomplished. The terms in the book are categorised as emotions' contents. Based on the textual emotion and the ways in which they were expressed, we grouped together emotional words into several categories. Prior to clustering, content terms were grouped using the NLP. The DLSTA method's many stages of customer detection rely on text analysis, which forms the basis of the performance. In Figure 6, the performance of DLSTA is displayed.




Figure 6: The DLSTA's performance rating

The performance rates of four distinct methods across a range of dataset sizes, from 10 to 100, are shown in Figure 6. Distinctive patterns for every strategy are shown by a thorough examination. DLSTA has a remarkable performance rate rise from 99% for 10 datasets to 97.5% for 80 datasets, consistently outperforming the other approaches. While KET shows a little gain in performance over the dataset sizes, EDA shows very steady performance, ranging between 80 and 82%. On the other hand, ESA has a cyclical trend, with performance rates ranging from 51% to 62%. This demonstrates the exceptional and reliable performance of DLSTA and emphasises how well it works to achieve high rates on a variety of dataset sizes. As a top-performing method for precise emotion identification in text classification tasks, the graph highlights the resilience and dependability of DLSTA.

When compared to other existing methods such as knowledge-enriched transformer (KET), emotion and sentiment analysis (ESA), emotion detection and analysis (EDA), sequence-based convolutional neural network (SB-CNN), touch interactions model (TIM), and collaborative learning environment (CLE), the proposed method achieves the highest classification accuracy and detection rate.

5. CONCLUSION AND RECOMMENDATION

The combination of deep learning techniques and natural language processing, as demonstrated by DLSTA in this study, provides a strong foundation for text analysis within big datasets to identify customer emotions. Making the most of these technologies' potential can greatly improve the dynamics of consumer interactions and promote individualised and compassionate interactions. By combining word embeddings with NLP principles, emotion analysis becomes more effective and offers a more comprehensive view of user experiences. With several emotional phrase embedding techniques, the suggested DLSTA strategy shows great promise, obtaining an impressive detection rate of 98.24% and a classification accuracy of 99.04%. Future studies can improve emotion recognition even more, investigate different emotion class models, permit the simultaneous activation of numerous emotion classes, and investigate the modelling of the magnitude of emotions. In order to validate scalability and flexibility, future research should concentrate on practical applications. This will encourage ongoing innovation at this junction, leading to increased user happiness and engagement.

REFERENCES

1. Ain, Q. T., Ali, M., Riaz, A., Noureen, A., Kamran, M., Hayat, B., & Rehman, A. (2017). *Sentiment analysis using deep learning techniques: a review. International Journal of Advanced Computer Science and Applications*, 8(6).
2. Asghar MZ, Subhan F, Ahmad H, Khan WZ, Hakak S, Gadekallu TR, et al. *Senti-eSystem: a sentiment-based eSystem-using hybridized fuzzy and deep neural network for measuring customer satisfaction. Software Pract Exper.* 2021;51(3):571–94.
3. Biondi, G., Franzoni, V., & Poggioni, V. (2017). *A deep learning semantic approach to emotion recognition using the IBM watson bluemix alchemy language. In Computational Science and Its Applications–ICCSA 2017: 17th International Conference, Trieste, Italy, July 3-6, 2017, Proceedings, Part III 17 (pp. 718-729). Springer International Publishing.*
4. Blümel, J., & Zaki, M. (2022). *Comparative Analysis of Classical and Deep Learning-based Natural Language Processing for Prioritizing Customer Complaints.*
5. Carvalho, A., Levitt, A., Levitt, S., Khaddam, E., & Benamati, J. (2019). *Off-the-shelf artificial intelligence technologies for sentiment and emotion analysis: a tutorial on using IBM natural language processing. Communications of the Association for Information Systems*, 44(1), 43.

6. Durairaj, A. K., & Chinnalagu, A. (2021, December). *Sentiment Analysis on Mixed-Languages Customer Reviews: A Hybrid Deep Learning Approach*. In *2021 10th International Conference on System Modeling & Advancement in Research Trends (SMART)* (pp. 551-557). IEEE.
7. Gaiind B, Syal V, Padgalwar S. *Emotion detection and analysis on social media*. arXiv preprint arXiv:1901.08458; 2019.
8. Guo, J. (2022). *Deep learning approach to text analysis for human emotion detection from big data*. *Journal of Intelligent Systems*, 31(1), 113-126.
9. Iqbal, A., Amin, R., Iqbal, J., Alroobaea, R., Binmahfoudh, A., & Hussain, M. (2022). *Sentiment analysis of consumer reviews using deep learning*. *Sustainability*, 14(17), 10844.
10. Jain, P. K., Saravanan, V., & Pamula, R. (2021). *A hybrid CNN-LSTM: A deep learning approach for consumer sentiment analysis using qualitative user-generated contents*. *Transactions on Asian and Low-Resource Language Information Processing*, 20(5), 1-15.
11. Li, Y. (2022). *Deep Learning-Based Natural Language Processing Methods for Sentiment Analysis in Social Networks*. *Mathematical Problems in Engineering*, 2022.
12. Majeed, A., Mujtaba, H., & Beg, M. O. (2020, September). *Emotion detection in roman urdu text using machine learning*. In *Proceedings of the 35th IEEE/ACM International Conference on Automated Software Engineering* (pp. 125-130).
13. Nijhawan, T., Attigeri, G., & Ananthakrishna, T. (2022). *Stress detection using natural language processing and machine learning over social interactions*. *Journal of Big Data*, 9(1), 1-24.
14. Ogudo, K. A., & Nestor, D. M. J. (2019, August). *Sentiment analysis application and natural language processing for mobile network operators' support on social media*. In *2019 International Conference on Advances in Big Data, Computing and Data Communication Systems (icABCD)* (pp. 1-10). IEEE.
15. Peng, S., Cao, L., Zhou, Y., Ouyang, Z., Yang, A., Li, X., ... & Yu, S. (2022). *A survey on deep learning for textual emotion analysis in social networks*. *Digital Communications and Networks*, 8(5), 745-762.
16. Rodríguez AOR, Riaño MA, García PAG, Marín CEM, Crespo RG, Wu X. *Emotional characterization of children through a learning environment using learning analytics and AR-Sandbox*. *J Ambient Intell Human Comput*. 2020;11:1–15.

17. Sailunaz K, Alhadj R. *Emotion and sentiment analysis from Twitter text. J Comput Sci.* 2019;36:101003.
18. Shrivastava K, Kumar S, Jain DK. *An effective approach for emotion detection in multimedia text data using sequence based convolutional neural network. Multimed Tools Appl.* 2019;78(20):29607–39.
19. SINHA, P. (2018). *An Analysis of Customer's Emotional-AI using Natural Language Processing (Doctoral dissertation).*
20. Yadav, A., & Vishwakarma, D. K. (2020). *Sentiment analysis using deep learning architectures: a review. Artificial Intelligence Review, 53(6), 4335-4385.*

Author's Declaration

I as an author of the above research paper/article, hereby, declare that the content of this paper is prepared by me and if any person having copyright issue or patent or anything otherwise related to the content, I shall always be legally responsible for any issue. For the reason of invisibility of my research paper on the website/amendments/updates, I have resubmitted my paper for publication on the same date. If any data or information given by me is not correct, I shall always be legally responsible. With my whole responsibility legally and formally have intimated the publisher (Publisher) that my paper has been checked by my guide (if any) or expert to make it sure that paper is technically right and there is no unaccepted plagiarism and henceforth is genuinely mine. If any issue arises related to Plagiarism/ Guide Name/ Educational Qualification / Designation/ Address of my university/ college /institution/ Structure or Formatting/ Resubmission /Submission /Copyright /Patent /Submission for any higher degree or Job/Primary Data/Secondary Data Issues. I will be solely/entirely responsible for any legal issues. I have been informed that the most of the data from the website is invisible or shuffled or vanished from the database due to some technical fault or hacking and therefore the process of resubmission is there for the scholars/students who finds trouble in getting their paper on the website. At the time of resubmission of my paper I take all the legal and formal responsibilities, If I hide or do not submit the copy of my original documents(Aadhar/Driving License/Any Identity Proof and Photo) in spite of demand from the publisher then my paper may be rejected or removed from the website anytime and may not be consider for verification. I accept the fact that As the content of this paper and the resubmission legal responsibilities and reasons are only mine then the Publisher (Airo International Journal/Airo National Research Journal) is never responsible. I also declare that if publisher finds Any complication or error or anything hidden or implemented otherwise, my paper may be removed from the website or the watermark of remark/actuality maybe mentioned on my paper. Even if anything is found illegal publisher may also take legal action against me

Ramkumar Soundarapandian
